

# CERTIFICATE OF CONFORMITY

018-НУРВСПСРБ-066

Issued according to Article 14, paragraph 1 of Ordinance No. RD-02-20-1/ 05.02.2015 on the terms and conditions for use of construction products in the construction of the Republic of Bulgaria (НУРВСПСРБ) of the Ministry of Regional Development and Public Works for construction products:

<b>Construction product:</b>	<b>WELDABLE REINFORCING STEEL, quality B500B, in coils from 8 mm up to 16 mm, ribbed, with ribbing scheme and rib parameters according to the Annex 1 to the certificate</b>
<b>Intended use:</b>	For the reinforcement of concrete
<b>Placed on the market by:</b>	<b>PJSC "ArcelorMittal Kryvyi Rih" 1, Kryvorizhstali street, 50095 Kryvyi Rih, Ukraine</b>
<b>Manufacturing plant:</b>	<b>PJSC "ArcelorMittal Kryvyi Rih" 1, Kryvorizhstali street, 50095 Kryvyi Rih, Ukraine</b>
<b>Confirmation:</b>	This certificate attests that the product is assessed and complies with the national requirements given in: <b>BDS 9252:2007, BDS EN 10080:2007 and Annex 3 cl. 1 of Order No. RD-02-14-1329 dated 03.12.2015, amended by Order No. RD-02-14-590 dated 05.07.2017 of the Ministry of Regional Development and Public Works</b>
<b>Date of first issue:</b>	30.04.2020
<b>Period of validity:</b>	The certificate remains valid until 29.04.2023, as long as the manufacturer ensures consistency of the characteristics of the product, and the conditions in the factory or the factory production control itself are not modified significantly
<b>Annexes:</b>	Annex 1
<b>Place and date of issue:</b>	Sofia, 30.04.2020

Conformity Assessment Body for Construction Products, ID No.18  
TÜV RHEINLAND BULGARIA Ltd.  
23A, Dragan Tsankov Blvd.  
1113 Sofia, Bulgaria  
Tel.: +359 2 987 90 87; e-mail:industry@bg.tuv.com



# ANNEX 1

## To CERTIFICATE OF CONFORMITY

№ 018–НУРВСПРСБ–066


**Construction product:** WELDABLE REINFORCING STEEL, quality B500B, in coils from 8 mm up to 16 mm, ribbed

**Intended use:** For the reinforcement of concrete

**Placed on the market by:** PJSC “ArcelorMittal Kryvyi Rih”  
1, Kryvorizhstali street,  
50095 Kryvyi Rih, Ukraine

**Manufacturing plant:** PJSC “ArcelorMittal Kryvyi Rih”  
1, Kryvorizhstali street,  
50095 Kryvyi Rih, Ukraine

### 1. Ribbing scheme



### 2. Rib parameters

Nominal diameter mm	Rib spacing, c mm	Rib height, h mm	Angle of transverse rib, β°	Transverse rib flank inclination, α°	Width of transverse ribs, mm
8	5,2±1,2	0,7 +0,1/-0,3	60 ±10	50 +10/-5	0,8 +0,4/-0,1
10	6,5±1,5	0,9 +0,2/-0,4	60 ±10	50 +10/-5	1,0 +0,5/-0,1
12	7,2±1,2	1,0 +0,3/-0,4	60 ±10	50 +10/-5	1,2 +0,5/-0,2
14	8,4±1,4	1,2 +0,3/-0,4	60 ±10	50 +10/-5	1,4 +0,5/-0,2
16	9,6±1,6	1,4 +0,3/-0,4	60 ±10	50 +10/-5	1,6 +0,5/-0,2

**Place and date of issue:** Sofia, 30.04.2020

Conformity Assessment Body for Construction Products, ID No.18  
TÜV RHEINLAND BULGARIA Ltd.  
23A, Dragan Tsankov Blvd.  
1113 Sofia, Bulgaria  
Tel.: +359 2 987 90 87; e-mail:industry@bg.tuv.com



Dipl. Eng. V. Pupova  
Deputy Head of CABCP